

CCCCCCCCCCCC	LLL	DDDDDDDDDDDD
CCCCCCCCCCCC	LLL	DDDDDDDDDDDD
CCCCCCCCCCCC	LLL	DDDDDDDDDDDD
CCC	LLL	DDD DDD
CCCCCCCCCCCC	LLLLLLLLLLLL	DDDDDDDDDDDD
CCCCCCCCCCCC	LLLLLLLLLLLL	DDDDDDDDDDDD
CCCCCCCCCCCC	LLLLLLLLLLLL	D. DDDDDDDDDDD

FILEID**EDIT

H 8

A 10x10 grid of letters. The first column contains the letter 'C' at each position. The second column contains the letter 'L' at each position. The third column contains the letter 'D' at each position. This pattern repeats across all 10 columns.

Version: 'V04-000'

V03-012 PCB0002 Peter George 13-Mar-1984
Remove last vestiges of old command interface.

V03-011 RRB0012 Rowland R. Bradley 04-Jan-1984
Disallow /NOINTERACTIVE with /DISPLAY, /CREATE, /RESP,
/SCRIPT, /NUMBER_KEYS and/or /PROMPTING.

V03-010 LMP0185 L. Mark Pilant, 31-Jan-1984 11:31
Add support for the EDIT/ACL/OBJECT=type command.

V03-009 DLB0001 David Ballenger 29-Jul-1983
Add separate syntax definition for EDIT/SLP and comment
out qualifiers, etc., for EDIT/SOS. The EDIT/SOS definitions
can be "permanently" removed at a later date.

V03-008 MHB0096 Mark Bramhall 28-Jul-1983
Add EDIT/TECO.

V03-007 PCG0001 Peter George 27-Jul-1983
Add EDIT/DPE.

V03-006 LMP0107 L. Mark Pilant, 28-Apr-1983 9:14
Set the correct default for the /MODE qualifier

V03-005 KFH0002 Ken Henderson 26 Apr 1983
Add /SCRIPT keywords to EDIT/FDL:
add_key, delete_key, redesign => touchup

V03-004 KFH0001 Ken Henderson 14 Apr 1983
Add qualifiers to EDIT/FDL:
/DISPLAY/EMPHASIS/GRANULARITY
/RESPONSES/INTERACTIVE/CREATE
/NUMBER_KEYS

V03-003 PCA1008 Paul C. Anagnostopoulos 25-Feb-1983
Replace the ZZZZ qualifiers with something more reasonable,
since the new CDU requires unique names.

V03-002 PCA1008 Paul C. Anagnostopoulos 11 Feb 1983
Add a comment about the equivalent CLD for MCR.

V03-001 LMP0072 L. Mark Pilant, 19-Jan-1983 22:10
Incorporate the ACL editor into the build. It is invoked
with the EDIT/ACL DCL command.

Don't forget the EDT.CLD file. It contains an equivalent set of
definitions for MCR which must also be enhanced, but only for EDT.

```
define type keep_file
    keyword recovery
    keyword journal

define type mode_types
```

```
keyword prompt      default,negatable

define type acl_objects
  keyword file
  keyword device
  keyword queue
  keyword event_cluster
  keyword logical_name_table
  keyword process
  keyword global_section

define syntax acledit
  image acledt
  parameter p1,prompt='Object Name',value(required,type=$infile),label=input
  qualifier journal,    default,value(type=$infile)
  qualifier recover,   value(type=$infile)
  qualifier keep,      value(list,type=keep_file)
  qualifier mode,       default,value(type=mode_types)
  qualifier object_type, value(type=acl_objects)

define syntax teco_mung
  parameter p1           !!!, value(type=$rest_of_line)

define syntax edit_using_teco
  image teco
  qualifier command,     default,value(type=$infile)
  qualifier create,      default
  qualifier memory,     default
  qualifier execute,    value(required,type=$infile),syntax=teco_mung
  parameter p1,
  qualifier output,     value(type=$infile)
  qualifier read_only,  value(required,type=$outfile)

define syntax edit_using_dpe
  image dpe
  parameter p1,
    qualifier command,    label=input,prompt='File'
    qualifier context,   value(required,type=$infile)
    qualifier journal,  default,value(type=$infile)
    qualifier output,   default,value(type=$infile)
    qualifier read_only, default,value(type=$outfile)
    qualifier recover

define type script_options
  keyword add_key
  keyword delete_key
  keyword indexed
  keyword optimize
  keyword relative
  keyword sequential
  keyword touchup

define type prpt_options
  keyword brief
  keyword full
```

```
define type disp_options
  keyword line
  keyword fill
  keyword add
  keyword init
  keyword record
  keyword key

define type emph_options
  keyword flatter
  keyword smaller

define type gran_options
  keyword one
  keyword two
  keyword three
  keyword four
  keyword double
  keyword 1
  keyword 2
  keyword 3
  keyword 4

define type resp_options
  keyword automatic
  keyword manual

define syntax edf
  image edf
  parameter p1,label=p1,prompt="File",value(required,type=$infile)
  qualifier output, value(required,type=$outfile)
  qualifier analysis, value(required,type=$infile)
  qualifier interactive, default
  qualifier emphasis, value(required,type=emph_options)
  qualifier granularity, value(required,type=gran_options)
  qualifier create
  qualifier number_keys, value(required)
  qualifier display, value(required,type=disp_options)
  qualifier responses, value(required,type=resp_options)
  qualifier script, value(required,type=script_options)
  qualifier prompting, value(required,type=prpt_options)
  disallow (neg interactive) and (create or number_keys or
            display or responses or script or prompting)

!SOS define syntax edit_using_sos
!SOS   image backtrans

define type slp_audit_options
  keyword position, value(type=$number,default=80), default
  keyword size, value(type=$number,default=8), default

define syntax edit_using_slp
  image backtrans
```

```
parameter p1,          prompt='File',
           value(required,type=$infile),label=input
qualifier audit_trail, value(list,type=slp_audit_options)
qualifier checksum,    value(type=$number)
qualifier listing,   value(type=$outfile)
qualifier output,     value(type=$outfile),default
qualifier report,
qualifier truncate,   value(type=$number)
qualifier tab

define syntax sumslp
image sumslp

define verb edit
image edt
parameter p1,prompt='File',value(required,type=$infile),label=input
!SOS qualifier decide
!SOS qualifier exact
!SOS qualifier expert
!SOS qualifier increment,      value
!SOS qualifier isave,         value
!SOS qualifier line
qualifier listing,       value(type=$outfile)
!SOS qualifier lower
qualifier output,        value(type=$outfile)
!SOS qualifier pline,       value
qualifier read_only
!SOS qualifier save,       value
qualifier slp,           syntax=edit_using_slp
!SOS qualifier sos,        syntax=edit_using_sos
!SOS qualifier start,
qualifier step,          value
qualifier header
qualifier sum,
qualifier update,        value(list),placement=local
qualifier edt
qualifier command,
qualifier recover
qualifier journal,
qualifier $1_filler,
qualifier $2_filler,
!SOS qualifier bak,
qualifier num,
qualifier fdl,
qualifier create,
qualifier acl,
qualifier dpe,
qualifier teco,
```

0046 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

CLD	BACKUP CLD	DCLTABLES CLD	DISMOUNT CLD	ENCRYPT CLD	LIBRARIAN CLD	MCRINT CLD	REPLY CLD
DCLTABLES MAP	CREATE CLD	DEF CLD	DMO CLD	EXCHANGE CLD	LIBRARY CLD	MORTABLES CLD	PASCAL CLD
ACC CLD	BAD CLD	DCLINT CLD	DELETE CLD	DUMP CLD	LINK CLD	MESSAGE CLD	RUN CLD
CHECKSUM CLD	ANALYZE CLD	CLISYM1 CLD	EDIT CLD	FORTRAN CLD	MCRSET CLD	PHONE CLD	RUNOFF CLD
PSECTS R32	CONVERT CLD	DIFF CLD	HELP CLD	MACRO CLD	MONITOR CLD	RECOVER CLD	SQL CLD
MORTABLES MAP	COPY CLD	DIRECTORY CLD	INIT CLD	MAIL CLD	MOUNT CLD	RENAME CLD	SEARCH CLD
JNLUSR MAR		EDT CLD					